

WORKING WITH DEVELOPMENTALLY **DELAYED SEXUAL OFFENDERS:** MYTHS AND TREATMENT

R. Dempsey, Psy.D. M. Wysopal, Psy.D. 4/26/2016 Association of Regional Center Agencies California Statewide Forensic Forum Pomona, CA

Psychological.	Assessment, Inc



DISCLOSURES

Financial: Drs. Dempsey and Wysopal received a speaking fee for today's presentation. No other financial benefits to disclose.

Non-financial: Dr. Dempsey is the Continuing Education Chair for the California Coalition on Sexual Offending, Bay Area Chapter which is a nonprofit organization. Dr. Dempsey's is a volunteer position.





CONTACTS

Rachyll Dempsey, PsyD rdempsey@psychassessment.us 888-524-5122 x 102

Michelle Wysopal, PsyD mwysopal@psychassessment.us 888-524-5122 x104

> Psychological Assessment, Inc. www.psychassessment.us



ABOUT THE PRESENTERS - R. DEMPSEY, PSY.D

Rachyll Dempsey, Psy.D., QME is a Forensic Neuropsychologist and Qualified Medical Evaluator who has worked with individuals of all ages using evidence based treatments and measures in clinics, schools, medical, and forensic settings for over a decade. She is a California licensed psychologist who completed her Doctorate in Clinical Psychology at Argosy University, an American Psychological Association (APA) fully accredited program. Dr. Dempsey founded Psychological Assessment, Inc. in 2014 to offer quality psychological assessment on a larger scale. Psychological Assessment, Inc. is centrally located in Oakland, CA and employs experts in the areas of Competency Restoration, Forensic Evaluation and symptom validity testing, Neuropsychology including pediatric and geriatric, and Sex Offender Treatment.

Psychological Assessment, I	nc
-----------------------------	----



ABOUT THE PRESENTERS - M. WYSOPAL, PSY.D.

Michelle Wysopal, Psy.D. is currently a Psychological Assistant for PAI, working as Program Director for the PAI Competency Restoration Program, Program Director for the Shaping Success Program (a Sex Offender Treatment Program) and as Assistant Training Director. She graduated from Alliant International University in 2014 with a doctorate in Clinical-Forensic Psychology. Dr. Wysopal has specialized in working with sex offenders on parole and probation, is CASOMB certified, and is looking forward to building her practice with sex offenders in the future.

Psychological Assessment, Inc



PROGRAM DESCRIPTION

This presentation will aim to raise awareness about common myths about intellectually disabled and developmentally disabled individuals and provide concrete techniques in providing sex offender treatment with them.

Psychological Assessment, Inc	(
	1

OBJECTIVES

- Participants will be able to identify at least three myths about developmentally delayed sexual offenders.
- Participants will be able to describe at least three techniques for working with developmentally delayed sexual offenders.

|--|

BEFORE WE GET INTO THE CONTENT, LETS CLARIFY:

 DEVELOPMENTAL DISABILITY: A broad term that includes Autism Spectrum Disorders, Developmental Delay, Cerebral Palsy, Epilepsy, Fetal Alcohol Spectrum Disorders, and other disorders that occur during the developmental period.





DEFINITIONS

- INTELLECTUAL DISABILITY: An individual with an intellectual disability has below-average cognitive abilities. They must meet the following three criteria:
- 1. Deficits in intellectual functions (reasoning, problem solving, planning, abstract thinking, judgment, academic learning, etc.).
- 2. Deficits in adaptive functioning and a failure to meet developmental and sociocultural standards for personal independence and social responsibility.
- 3. Onset of intellectual and adaptive deficits during the developmental period.

Psychological Assessmen	t, Inc	

DEFINITION SEXUAL OFFENDER

 AN INDIVIDUAL WHO HAS BEEN CHARGED WITH AND CONVICTED OF ILLEGAL SEXUAL BEHAVIOR

- Molestations/Lewd Act with a Minor
 Possession of Distribution of Child
 Unlawful Sexual Intercourse
- Pornography Indecent Exposure
 Prostitution, Solicitation, Pandering, Lewd or Lascivious Conduct or Pimping
 - Sexual Assault

Psychological Assessment, Inc	

DEFINITION OF INDIVIDUALS ENGAGING IN SEXUAL ACTING OUT BEHAVIORS

TYPICALLY CONSIDERED SOMEONE WHO IS ENGAGING IN INAPPROPRIATE OR ILLEGAL SEXUAL BEHAVIORS THAT HAS NOT HAD CONTACT WITH LAW ENFORCEMENT

Examples of Sexual Acting Out:

- · Peeping tom activities
- Viewing child pornography
- Stealing underwear for sexual stimulation
- Solicitation of sex Masturbation in public





DEVELOPMENTALLY DELAYED SO

• 10-15% of people who commit sexually offenses have Intellectual Disability with a much higher percentage estimated for people with Borderline Intellectual Functioning.

(Nezu, 2005)



LAWS

- In 2004, Megan's Law was passed requiring sexual offenders to register with local law enforcement and providing the public with access to their information. (Megan's Law, 2009)
- In 2006, Jessica's Law was passed which, among other things, required prohibited sexual offenders from residing within 2,000 feet of any school and park where children congregate. (CASOMB, n.d.)
- Penal Code Section 290 requires all sexual offenders to register as such, providing their residence, for the remainder of their life. (CASOMB, n.d.)
- In 2006, Governor Arnold Schwarzenegger signed Assembly Bill 1015, which created The California Sex Offender Management Board. (CASOMB, n.d.)



CALIFORNIA SEX OFFENDER MANAGEMENT BOARD (CASOMB)

- CASOMB describes their vision as "decreasing sexual victimization and increasing community safety."
- Every provider in the state of California that offers Sexual Offender Treatment has to be certified through CASOMB.
- CASOMB requires that its providers follow the Containment Model, which is a collaborative approach to sex offender management and became mandatory beginning in July of 2012.
- In addition, CASOMB recommends that its providers incorporate the Risk-Need-Responsivity Model in their approach to working with offenders.
- CASOMB providers and programs incorporate risk assessments into their treatment, in addition to creating treatment plans focused on reducing the risk level.





CONTAINMENT MODEL

- · Requires collaboration between the supervising officer, sex offender treatment provider, and polygraph examiner and is a victim-centered approach.
- · Individual held accountable, obedience to parole/probation
- · Preserve safety of community
- · Continue to let individual live in community
- Line-of-sight supervision and case management




RISK-NEED-RESPONSIVITY

- · RISK: Matching the level of treatment to the individual's risk level
- NEED: Identifying the criminogenic needs to address in treatment
- RESPONSIVITY: Adapting interventions to the learning style, motivation level, and strengths of the individual

(Bonta,J. and Andrews, D.A., 2007)

- · Reduce maladaptive behavior
- · Eliminate distorted beliefs
- · Remove problematic desires
- · Modify offense-supportive emotions and attitudes







MYTHS ABOUT DEVELOPMENTALLY **DELAYED SEX OFFENDERS**

- · Individuals with developmental delay are often viewed as either sexually impulsive or child-like and asexual.
- Individuals with developmental delay who sexually offend against children are simply interacting with their emotional or intellectual peers.
- · An individual with developmental delay who has sexually offended cannot understand that he or she has done something wrong.
- Treatment cannot benefit a developmentally delayed individual who engages in sex offending behavior.

(Tudiver, J., Broekstra, S., Josselyn, S., & Barbaree, H., 1998)

Psychological 4 2 2	Assessment,	In



MYTHS ABOUT DEVELOPMENTALLY DELAYED SEX OFFENDERS, CONT

· "Menace of the Feeble-Minded"

(Lambrick, 2004)

Sexual offenses by Developmentally Delayed or Intellectually Disabled are just impulsive acts

(Parry, 2003)

|--|



TRUTHS

- · Almost all intellectually/developmentally disabled individuals are able to gain an understanding of their offending behavior
- · As such they can also take responsibility for it
- It is important to understand that ID/DD individuals have often been subjected to stigma, ostracism, and inappropriate or inadequate messages about their sexuality and relationships.
- Every offender, regardless of disability, must be treated with respect





TRUTHS

- Individual's with developmental delay do develop sexual interests, desires, and behaviors. Sexual behavior occurs on a continuum.
- Although some people view individuals with developmental delay a having a young "mental age," they are not equivalent to children.
- Individuals with developmental delay can make appropriate decisions between a right and wrong action in most areas of their
- There is some evidence that treatment may reduce recidivism rates for sexual offenders with developmental delay.
- Effective interventions could focus on the individual being more capable of managing their lives and being re-integrated in the community.

(Tudiver, J., Broekstra, S., Josselyn, S., & Barbaree, H., 1998)

STATISTICS

Compared to adult non-delayed sex offenders, adult developmentally delayed sex offenders:


- · Have fewer victims
- Commit fewer "serious" sex offences but more "minor" or "nuisance" offences
- Females make up a smaller portion of their victims
- Deficit in social skills is more significant
- Can lack interpersonal skills and have struggle in their interactions with the opposite sex
- Those who reoffend may not show a specific pattern in terms of offense type, age and sex of victim

(Tudiver, J., Broekstra, S., Josselyn, S., & Barbaree, H., 1998)

Psychological Assessment, Inc.

HEALTHY SEXUALITY

- Recognizing that all people are sexual begins.
- "Healthy sex involves the conscious, positive expression of our sexual energy in ways that enhance self-esteem, physical health, and emotional relationship. It is mutually beneficial and harms no one." (Maltz, W., 2016).
- Wendy Maltz and Beverly Holman (1987) presented the CERTS Model:
 - CONSENT
 - EQUALITY
 - RESPECT
 - TRUST
 - SAFETY



SEXUAL DEVELOPMENT (SRCP, 2016)

- 0-18 months: Children begin to differentiate between female and male roles. They discover their genitals and begin to touch themselves for pleasure (not orgasm).
- 18 months-3 years: Children learn the language for body parts and functions.
 They begin to behave and perceive others in gender-typed ways.
- 3-5 years: Children show a growing awareness of the body and its functions.

 They display curiosity about their own and the bodies of others. They may begin engaging in sex play.
- 5-6 years: Gender role differentiation and sexual identity development continues.

 Masturbation for pleasure (not orgasm).
- 6-9 years: As intellectual development continues, children are more able to understand the facts about sex, although not the emotional and erotic feelings. Possible beginning of puberty for females.

 9-14 years: Beginning of puberty for males. Beginning or continuation of puberty for females. Possible concern about penis and breast size. Dissatisfaction with body. Possible interest in dating. Masturbation to occur in private. May ask questions about sexual orientation.
- 14-18 years: May experience problems with self-esteem and explore where they fit in.

 Peer pressure may be present. Engage in early sexual experiences. Learning about emotional readiness.



HEALTHY SEXUALITY

- · Develops naturally when a person is afforded:
 - · Accurate information
 - That is age appropriate
 - · Does not shame for curiosity

Normal Sexual Behavior often involves:

- · Confirmation of one's masculinity or femininity
- To get affection/keep a partner
- · Rebel against parents
- Discharge anger/relieve boredom

(Blasingame, 2005)





CHILDHOOD SEXUAL ABUSE

- 15-33% of females and 13-16% of males in clinical populations
- 26-83% of developmentally delayed children
- Some studies estimate up to 1/3 of abuse victims have sexual acting out behavior later



SIGNS OF POSSIBLE SEXUAL ABUSE

- Knowledge or behavior not appropriate for a person's age or developmental level
- · Excessive sexual activity
- Onset of sexual behaviors that were not seen in an individual (ex: sexual behavior toward a staff member)
- · Change in sexual status
- Avoidance of people or places a person was previously confrontable with
- Changes in sleeping or eating patterns

(Blasingame, 2005)



SEXUAL ACTING OUT VS SEXUAL DEVIANCY

Phenix (2009) urges treatment providers to keep in mind the difference between:

 Social Skills deficit driven sexual acting out (ex: impairment in interaction and communication skills)

versus

 Sexual Deviancy (ex: pedophilia, sadomasochism)



THEORIES

Deviance Vulnerability

- Sexual Conditioning Theories
- Deviant Fantasies (and use of denial, minimization, rationalization)

Deficit Vulnerability

• Links problems with social incompetence, poor interpersonal skills, poor coping skills

(Nezu, 2005)



HIGHER RISK

- · Family life includes parental separation, violence, and
- Poor adjustment in school, relationships, behavioral problems, delinquency
- · Inability to understand normal sexual relationships and lack of skills to form such ponds, susceptibility to the influence of others
- Impulsivity

(in Phenix, 2009)



COLLABORATION

- · Cross Training is essential
 - · Social Workers
 - · Service Coordinators
 - · Care Home Staff
 - Therapists
 - · Probation Officers

(Blasingame, 2001)






COUNTERFEIT DEVIANCE HYPOTHESIS

- Individuals with intellectual disabilities often reside in environments in which appropriate heterosexual relationships, sexual developments, and the acquisition of sexual knowledge are not supported.
- Their development of sexual relationships may be ignored or
- As a result, many individuals will have a limited opportunity for learning about a variety of issues related to sexuality, with a broad range of factors contributing to inappropriate sexual behaviors which are related to developmental and environmental issues – not sexual deviance.
- Lack of sexual knowledge, poor understanding of social conventions, and lack of opportunity for appropriate sexual expression contributes to inappropriate sexual behavior.

(As cited in Lindsay, W., 2009)



	Psychological Assessment, Inc
TREATMENT	
Group Treatment	
Cognitive-Behavioral T	herapy Theory
Cognitive Restructur	ring
• Relapse Prevention	
	(Lambrick, 2004; Blasingame, 2001; Nezu, 2005)

MOST MODELS

- Implement an explanation/understanding of the cycle of offending
- · Motivation to abuse
- Aversive developmental factors (biological, social, situational) which lead to getting needs met through offending.

(Courtney, 2006)

Psychological Assessment, Inc



Discussion of Healthy Sexuality

- · Right vs Wrong touching
- · Right vs Wrong thinking
- Cycle of Offending
- Danger Zones and Triggers
- Victim Empathy
- Relapse Prevention



COGNITIVE-BEHAVIORAL TREATMENT

Three Stages of Learning:

- 1. Knowledge of social manners and practice of those behaviors in proper locations
- 2. Individual rehearsal of skills
- 3. Personal modification and maintenance of skills in a number of settings

(Blasingame, 2001)



COGNITIVE-BEHAVIORAL TREATMENT

- Help individual to separate the problem action from themselves
 - Ex: "I did a bad thing," vs "I am a bad person."
- · Identify maladaptive behaviors that has been learned
 - Ex:
- Identify automatic thoughts that encourage bad habits

(Blasingame, 2001)

	1
sychological Assessment, Inc	1
	1

ABUSIVE SEXUAL BEHAVIOR

Are often... Are corrected by... Automatic Thoughts Cognitive Restructuring Followed by instant gratification Reconditioning Maladaptive and Learned Learn New Positive Skills Coping Mechanisms Accept Responsibility

_ ^

Psychological Assessment, Inc	6

NEGATIVE THOUGHTS

- "Stinkin' Thinkin"
- Wrong Way thinking
- Overgeneralization
- Filtering
- All or Nothing Thinking
- · Personalizing
- Catastrophizing
- Emotional Reasoning
- Mind Reading
- Fortune Telling Error
- · Should Statements
- Magnification/Minimization

Psychological Assessment, Inc	
-------------------------------	--

POSITIVE THOUGHTS

- Smart Talk
- · Self empowering beliefs
- Optimism
- If at first you don't succeed, try, try, again.
- Approaching problems from a different angle.
- Knowing one's limitations while striving to exceed expectations.
- · Use of mantras.
- · Visual cues can be used.



Danger Zones

• Places, people, or things that are likely to lead to relapse

High Risk Factors / Triggers

• Emotional States or risky situations which would lead to re-offense

(Blasingame, 2001)

	Psychological Assessment, Inc
SAFE PLANS	
Intervention strategy for whe Zone or High Risk Situation	n an individual is in a Danger
 Helps to set boundaries 	
Helps to redirect thoughts/be-	haviors
"Stay Away from the Park	/kids"
 "Call my mom" 	
• "Use my words"	
	(Blasingame, 2001)



RELAPSE PREVENTION

- Identification of Triggers, High Risk Situations
- · Taught coping mechanisms
 - Avoidance
 - Support System
 - Thought Stopping

(Blasingame, 2001)



RELAPSE PREVENTION

- Life Skills
 - Stress management
 - Communication
 - Stability/Structure
 - Support System

(Blasingame, 2001)

Psychological Assessment, Inc	
	10

CONCRETE METHODS:

· Use of Socratic Questioning:

Make an attempt not to provide the individual will all of the answers. Make an attempt to ask questions that may elicit the information from participants. This will help them retain the information.

· Use of Role Play:

Allows the individual to engage in the pretend scenario in a genuine way which then can elicit feedback from the clinician. Afterwards, the individual can analyze the situation and the potential consequences.

· Use of Metaphor:

Allows the individual to explore the relevant areas of a problem without the personal threatening context of the real situation. Eventually, the person can move from the metaphor to discussing their specific offense.

(Lindsay, 2009)



ADDITIONAL METHODS:

· Use of Recording:

Allowing the individual to take notes during the session, or to take notes during a group session. Can help them recall what occurred the previous session and increase accountability for assignments in which they discuss their case that they attempt to deny at a later time.

Skills Teaching:

Teaching appropriate social skills and establishing appropriate knowledge of sexual behavior. (Craig, L., 2010)

• Information Presented Concretely:

Individuals with developmental delay are not always capable of understanding the nuances of language or the "gray area." Presenting them with facts and potential consequences allows them to further develop their understanding of right from wrong.



ADDITIONAL METHODS COND

· Use of Repetition:

Using repetition through didactic and homework assignments will contribute to retention. Problems with memory, processing, or attention, may impact the individual's ability to remember important information if it is only presented once.

Teaching Problem Solving Skills:

 $Identifying \ the \ problem, \ creating \ alternatives, \ evaluating \ and \ selecting \ alternatives, \ implement \ the \ solution.$

Psychological Assessment, Inc	1

CREATIVE TREATMENT METHODS

- Multi-media Videos, movie clips
- · Pictures, Posters
- Collages
- Board Games
- Songs
- · Client as teacher

(Blasingame, 2001)



CREATIVE REINFORCEMENT METHOD


- Token Economy
- Positive Reinforcement
- · Sense of Humor
- The Fan Club Book (Client creates a book that is written in by staff)
- Behavior Contracts

(Blasingame, 2001)



VARIOUS PROGRAMS

- The "New Me" Program (Craig, 2010)
- Good Lives Model (Lindsay, 2009)
- The Reiss Model (Lindsay, 2009)
- DD-SORT (Blasingame, 2001)
- Project STOP (Nezu, 2005)
- Work Book <u>Footprints, Steps to Healthy Life, 2nd ed.</u> Hansen, K., and Kahn, T.L., 2012





BECOMING NEW ME (TREATMENT PROGRAM)

- Block 1: Getting Going (Getting to know each other, developing rapport, developing rules and expectations).
- Block 2: New Me (Members present their background history, key life events, their families, interests, and hobbies).
- Block 3: New Me and Sex (Establishing a common starting point and giving group members access to vocabulary for sexual terms and acts).
- Block 4: My Feelings (Clarify words used to describe feelings, learn about link between feelings, thoughts, behaviors).
- Block 5: Making it OK (Taught to understand the concept and purpose of excuses, may excuse offending by external, unstable causes identify risky thinking).
- Block 6: My Risky Things (Identify risky areas the lead to offending).
- Block 7: Old Me Versus New Me and Offending (Disclosure of offenses to the group, New Me thinking that was not strong enough to prevent the offending is explored, aim for an unminimized account of events).
- Block 8: Mid-treatment Individual Interview (an individual session is offered to strengthen motivation and commitment to change).
- Block 9: Other People's Feelings (Continuing emotional recognition and beginning an understanding of victim impact).
 - Block 10: What My Offending Does to Victims (Increasing victim empathy).

Psychological Assessment, Inc

MOTIVATION

GOOD LIVES MODEL:

Excellence in Work and Play Inner Peace Knowledge Excellence in Agency Friendship Community Spirituality Happiness Creativity

THE REISS MODEL: Social Contact Vengeance Curiosity Romance Exercise Honour Family Acceptance Independence Tranquility Power Eating and Saving Order Status Idealism

(Lindsay, 2009)

	1
Psychological Assessment, Inc	V
	. 4

DD-SORT PROGRAM

- · Views inappropriate sexual behavior as learned.
- Relies on cooperation from multiple agencies including schools, family, referral agencies, residential care
- · Multiple Phases
- Groups are co-lead and capped at 6 members
- Incorporates a gradual increase in difficulty level for new material
 - · Role Play
 - Treatment Group using Different Behavior
 - · Residential, Day, and school Settings
 - · Community Activities



DD-SORT

- Phase #1 Identify and own inappropriate sexual behavior
- Phase #2 Deconstruct cognitive distortions
 - This is helpful most for individuals with developmental disabilities
- Phase #3 Reconstruct cognitive process into positive process
- Phase #4 Maintenance and follow-up



DD-SORT

BEHAVIORAL MODIFICATION INTERVENTIONS

- Positive Programming encoding positive behaviors & thoughts
- Shaping reward behaviors close to the target behavior
- Prompting & Fading Prompts help alert individuals to a situation, then are phased out
- Task Analysis and Chaining smaller tasks within larger tasks are identified and completed
- Generalization teach caregivers the same prompts and skills used in sessions

(Blasingame, 2001)



PROJECT STOP

- Multi-component, Cognitive-Behavioral Model
- · Individual, group and family therapy
- Individual treatment plans based on assessment
- Problem Solving, anger and stress management, cognitive restructuring, interpersonal skills training, social and sexual education, and functional family therapy.

(Nezu, 2005)



OTHER/ADDITIONAL INTERVENTIONS

- · Medication Management
- · Behavioral Interventions
- · Family Therapy
- Leisure/Community Skills
- · Job/Vocational Skills
- · Parenting Skills



MEDICATIONS

- $\bullet \quad \ \ Group\ 1-Works\ to\ reduce\ impulsivity\ and\ regulate\ mood:$
 - Sertraline, Fluoxetine, Paroxetine, and Clomipramine
- Group 2 Consists of a variety of hormone medications to decrease levels of testosterone
 - Cyproterone Acetate, Depo Medroxyprogesterone Acetate, and gonadotrophin releasing hormone agonists such as Triptoreline and Goserelin.

(Lambrick, 2004)

Psychological Assessment, Inc	
	ъ

BEHAVIORAL INTERVENTIONS

Largely have fallen out of favor due to lack of scientific efficacy with ID SO

- · Covert sensitization
- · Masturbatory satiation
- · Aversive therapy
- · Biofeedback

(Courtney, 2006)

Psychological Assessment, Inc	(Topo
·	

CASE STUDY

A 24 year old, Caucasian male with an intellectual disability has been referred to you by his mother for "inappropriate touching." Upon further discussion, you find out that his mother has walked in on him masturbating in the living room on multiple occasions. Recently, the client was escorted home by the police because he was masturbating on a park bench. During treatment, you find out that the individual never learned about sex from his mother, referencing that he learned about sex by watching Sex and the City. You also learn that his mother grounded him as a result of the park incident but there was no further discussion of the incident. The individual has recently purchased a computer and has begun learning how to browse the internet. He has learned how to access pornography cites and his favorite category is "amateur."



DISCUSSION

- What are some things to consider about his upbringing and background?
- Do you think that this individual has a clear understanding of norms surrounding masturbation and self-exploration?
- What do you think is the most concerning statement he has made in treatment?
- What would be your concerns for the future if no treatment interventions were offered?
- · What areas would you address?
- What other information would you like to know?
- · How would you work with this person?

Ps	ychological Assessment, Inc	
_		

REFERENCES

American Psychiatric Association. (2013). Diagnostic and statistical manual of mental disorders (5th ed.). Arlington, VA: American Psychiatric Publishing.

Blasingame, G. (2001). Community Management of Persons with Developmental Delays Who Have Sexual Behavior Problems.

Blasingame, G. (2001). Developmentally Disabled Persons with Sexual Behavior Problems: Treatment, Management, Supervision. Oklahoma City, OK: Berry Blasingame & Wood 'N' Barnes.

Boer, D.P., Tough, S. Haaven, J. (2004) Assessment of Risk Manageability of Intellectually Disabled Sex Offenders. Journal of Applied Research in Intellectual Disabilities. 17, 275-283.

Bonta, J., & Andrews, D. (2007). Risk-Need-Responsivity Model for Offender Assessment and ... Retrieved April 11, 2016, from http://www.publicsafety.ge.ca/cnt/rsrcs/pblctns/rsk-nd-rspnsvty/rsk-nd-rspnsvty-eng.pdf CASOMB - CA Sex Offender Management Board. (n.d.). Retrieved April 11, 2016, from http://www.casomb.org/ Courtney, J., Rose, J., and Mason, O. (2006). The Offence Process of Sex Offenders with Intellectual Disabilities: A Qualitative Study. Sexual Abuse: A Journal of Research and Treatment. DOI: 10.1177/107906320601800205 Craig, L., Lindsay, W. R., & Browne, K. D. (2010). Assessment and treatment of sexual offenders with intellectual disabilities: A handbook. Chichester, UK: Wiley-Blackwell.

Flinton, C. A., Adams, J., Adams, J., Bennett, C. D'Orazio, D., Miccio-Fonseca, L.C., & Fox, D. (2010) California Coalition on Sexual Offending Guidelines and Best Practices Adult Mail Sexual Offender Treatment.

Harris, A.J.R., and Tough, S. (2004). Should Actuarial Risk Assessments be Used with Se Offenders who are Intellectually Disabled? Journal of Applied Research in Intellectual Disability, 17, 235-241.

Psychological Assessment, Inc.	
--------------------------------	--

REFERENCES CONTINUED

Lambrick, F. and Glaser, W. (2004). Sex Offenders with Intellectual Disability. Sexual Abuse: A Journal of Research and Treatment, 1644, 381-392.

Lindsay, W.R., Steptoc, L., and Beech, A.T. (2008). The Ward and Hudson Pathways Model of the Sexual Offense Process Applied to Offenders with Intellectual Disability. Sexual Abuse: A Journal of Research and Treatment. DOI: 10.1177/1079062208323369.

Lindsay, W. R. (2009). The treatment of sex offenders with developmental disabilities: A practice workbook. Chichester, West Sussex, UK: Wiley-Blackwell.

Maltz, W. (2016). Healthy Sex. Retrieved April 11, 2016, from http://healthysex.com/-sexuality/part-one-understanding/what-is-healthy-sex/
Megan's Law. (2009). Retrieved April 11, 2016, from http://www.meganslaw.ca.gov/

Nezu, C.M., Greenberg, J. And Nezu, A., (2005) Project STOP Cognitive Behavioral Assessment and Treatment for Sex Offenders with Intellectual Disability. International Journal of Behavioral Consultation and Therapy, 1:4, 191-203.

Parry, C.J. and Lindsay, W.R. (2003). Impulsiveness as a factor in sexual offending by people with mild intellectual disability. Journal of Intellectual Disability Research, 47:6, 483-487.

Phenix, A. and Sreenivasan, S. (2008). A Practical Guide for the Evaluation of Sexual Recidivism Risk in Mentally Retarded Sex Offenders. Journal American Academy of Psychiatry Law. 37:509-24.

Quint, G. S. (2016). Sexuality Resource Center for Parents. Retrieved April 12, 2016, from http://www.srep.org/index.html

Tudiver, J., Ph.D. Brockstra, S., RN, HBA, Josselyn, S., Ph.D., & Barbarce, H., Ph.D. (1998). Addressing the needs of developmentally delayed sex offenders: A guide. Ottawa: National Clearinghouse on Family Violence.